

REFURBISHED PVS-14 NIGHT VISION MONOCULAR



SPECIFICATIONS

| | |
|---------------------|--------------------------------------|
| EYE RELIEF: | 25 MM |
| POWER SOURCE/LIFE: | (1) AA-SIZE BATTERY/50+ HRS |
| FOCUS RANGE: | 9.8" TO INFINITY |
| GAIN CONTROL: | NO |
| MAGNIFICATION: | ONE POWER (1X) |
| FIELD OF VIEW: | 40° |
| DIOPTER ADJUSTMENT: | -6 TO +2 |
| OBJECTIVE LENS: | 27MM, F/1.2 |
| WEIGHT: | 307 G (10.8 OZ) W/O BATTERIES |
| DIMENSIONS: | 4.5" X 2.5" X 2.75" |

FEATURES

- » **ONE YEAR WARRANTY**
- » **SINGLE AA BATTERY USAGE**
- » **GEN 3 GREEN PHOSPHOR**
- » **INFRARED LED INDICATOR**
- » **HIGH LIGHT CUTOFF**
- » **LOW BATTERY LED INDICATOR**

The **Refurbished NVD-PVS-14 Night Vision Monocular** feature a Gen 3, green phosphor image tube. Each comes with a J-Arm and a Soft Carry Case. The Refurbished PVS-14 might display minor signs of wear and tear. These refurbished systems go through NVD's rigorous evaluation and repair process to make sure they operate at their initial specifications, and are backed by a one year warranty.

The PVS-14 is the all around best multi functional night vision monocular available. Head or helmet mounted, the PVS-14 allows the user to retain their night adapted vision in one eye while viewing their surroundings through the illuminated eyepiece of the PVS-14. The new battery housing completes the perfect package by allowing the user to power off the unit when in an upright position and power on when flipped down.

Another strength is its ability to be weapon mounted behind most collimated daylight aimers and Reflex sights such as the ACOG, Aimpoint and EO Tech systems. This allows the user the ability to use their PVS-14 both as a night vision monocular for increased mobility and tactical awareness and as a short range weapon sight. Additional features of the PVS-14 include an infrared LED with LED indicator and a low battery indicator.



Standard accessories included with each Refurbished NVD-PVS-14: Soft Carry Case, and Head/Helmet Mount Adapter (J-arm).